



Ref. Certif. No.

JPTUV-111716

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist., Kaohsiung 806, Taiwan, R.O.C.

Name and address of the manufacturer

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist., Kaohsiung 806, Taiwan, R.O.C.

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Input : AC 100-240V; 50/60Hz; Class I; for current detail,  
refer to the test report  
Output: refer to the test report

Trademark (if any)

ELJINTEK, INC.

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

SGA12xb-zzzzz, GS15x-yzzzzz, SGA18xb-zzzzz,  
SGAS12xb-zzzzz, SGAS15xb-zzzzz, SGAS18xb-zzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, GPSU18x-yzzzzz, for  
more model details, please refer to the test report.

Additional information (if necessary may  
also be reported on page 2)

For model differences, refer to the test report.


A sample of the product was tested and  
found to be in conformity with

IEC 62368-1:2014  
See Test Report for National Differences

As shown in the Test Report Ref. No. which  
forms part of this Certificate

60400407 001

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Dipl.-Ing. F. Stoelzel

Date: 2020-07-29

Signature:



Ref. Certif. No.

JPTUV-111716

Page 2 of 2

1. MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District,  
New Taipei City 24891  
Taiwan, R.O.C.
2. Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist.  
Kaohsiung 806  
Taiwan, R.O.C.
3. Dongguan Shengfone Electronics  
Technology Co.,Ltd  
Xinlide Industrial Estate,  
Dongfeng Road, Qingxi Town,  
Dongguan City, Guangdong, P.R. China
4. Youngyear Electronics Co., Ltd.  
Jin Zhu Industries Area  
Qing Xi Town, Dongguan City  
Guandong  
P.R. China
5. Mitra Power Solutions Co., Ltd  
First Industrial district,Cunwei  
Village,HengLi Town  
Dong Guan  
Guangdong, P.R. China

**Additional information (if necessary)**

Report Ref. No. : 60400407 001

Date: 2020-07-29

Signature:

Dipl.-Ing. F. Stoelzel



Ref. Certif. No.

JPTUV-111434

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist., Kaohsiung 806 Taiwan

Name and address of the manufacturer

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist., Kaohsiung 806 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Input : AC 100-240V; 50/60Hz; Class II; for current detail,  
refer to the test report  
Output: refer to the test report

Trademark (if any)

ELJINTEK, INC.

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

SGA12xb-zzzzz, GS15x-yzzzzz, SGA18xb-zzzzz,  
SGAS12xb-zzzzz, SGAS15xb-zzzzz, SGAS18xb-zzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, GPSU18x-yzzzzz, for  
more model details, please refer to the test report.

Additional information (if necessary may  
also be reported on page 2)

For model differences, refer to the test report.


A sample of the product was tested and  
found to be in conformity with

IEC 62368-1:2014  
See Test Report for National Differences

As shown in the Test Report Ref. No. which  
forms part of this Certificate

50367818 001

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2020-07-20

Signature:

Dipl.-Ing. F. Stoelzel



Ref. Certif. No.

JPTUV-111434

Page 2 of 2

1. MEAN WELL Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd.,  
Wugu District,  
New Taipei City 24891  
Taiwan
2. Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road  
Chien Chen Dist.  
Kaohsiung 806  
Taiwan
3. Dongguan Shengfone Electronics  
Technology Co.,Ltd  
Xinlide Industrial Estate,  
Dongfeng Road, Qingxi Town,  
Dongguan City, Guangdong, P.R. China
4. Youngyear Electronics Co., Ltd.  
Jin Zhu Industries Area  
Qing Xi Town, Dongguan City  
Guandong  
P.R. China
5. Mitra Power Solutions Co., Ltd  
First Industrial district,Cunwei  
Village,HengLi Town  
Dong Guan  
Guangdong, P.R. China

**Additional information (if necessary)**

Report Ref. No. : 50367818 001

Date: 2020-07-20

Signature:

Dipl.-Ing. F. Stoelzel

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

ELJINTEK, INC.  
6TH FL-1 286-3 SHIN-YA RD CHIEN-CHEN KAOHSIUNG, 806  
TAIWAN

Name and address of the manufacturer

ELJINTEK, INC.  
6TH FL-1 286-3 SHIN-YA RD CHIEN-CHEN KAOHSIUNG, 806  
TAIWAN

Name and address of the factory

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road, Chien Chen Dist., Kaohsiung 806  
Taiwan Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)

**ELJINTEK, INC.**

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SGA12xb-zzzzzz, See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

1908019-2-CB issued on 2020-07-03

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-07-10

Signature:

  
Jan-Erik Storgaard



Ref. Certif. No.

**DK-99766-UL**

## Model Details:

SGA12xb-zzzzzz, GS15x-yzzzzz, SGA18xb-zzzzzz,  
SGAS12xb-zzzzzz, SGAS15xb-zzzzzz, SGAS18xb-zzzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, GPSU18x-yzzzzz,  
APSU12x-yzzzzz, APSU15x-yzzzzz, APSU18x-yzzzzz

Where "x" can be A or C;

Where "y" can be 0, 1, 2, 3, 4, 5, 6, 7, 8, 11 or 1-1;

Where "b" can be 03, 05, 07, 09, 12, 15, 18, 24, 28, 48;

Where "z" can be 0 to 9, A to Z, hyphen or blank. (when z be blank, " - " can be optional.)

## Factories:

Mean Well Enterprises Co., Ltd.

No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248  
Taiwan

Mitra Power Solution Co., Ltd

First Industrial district, Cunwei Village, HengLi Town, DongGuan, GuangDong  
PRC.

YOUNGYEAR ELECTRONICS CO LTD

Jin Zhu Industries Area, Qing Xi Town, Dongguan, Guangdong 523646  
China

Dongguan Shengfone Electronics Technology Co., Ltd.

Shengfeng Electronic Factory, Dongfeng RD., Qingxi Town, Dongguan city, Guangdong Province,  
China

## Ratings:

## Input:

100-240V~, 50/60Hz, 0.4A for Models SGA12xb-zzzzzz, GS15x-yzzzzz, SGAS12xb-zzzzzz, SGAS15xb-zzzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, APSU12x-yzzzzz, APSU15x-yzzzzz;

100-240V~, 50/60Hz, 0.5A for Models SGA18xb-zzzzzz, SGAS18xb-zzzzzz, GPSU18x-yzzzzz, APSU18x-yzzzzz

Output: See test report for details.

**Additional information (if necessary)**

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-07-10

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

ELJINTEK, INC.  
6TH FL-1 286-3 SHIN-YA RD CHIEN-CHEN KAOHSIUNG, 806  
TAIWAN

Name and address of the manufacturer

ELJINTEK, INC.  
6TH FL-1 286-3 SHIN-YA RD CHIEN-CHEN KAOHSIUNG, 806  
TAIWAN

Name and address of the factory

Eljintek, Inc.  
6F-1, No.286-3, Shin Ya Road, Chien Chen Dist., Kaohsiung 806  
Taiwan Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)

**ELJINTEK, INC.**

Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SGA12xb-zzzzzz, See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017; National Differences specified in the CB Test Report.

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

1908019-CB issued on 2020-07-09

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2020-07-10

Signature:

  
Jan-Erik StogaardFor full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)



Ref. Certif. No.

**DK-99768-UL**

## Model Details:

SGA12xb-zzzzzz, GS15x-yzzzzz, SGA18xb-zzzzzz,  
SGAS12xb-zzzzzz, SGAS15xb-zzzzzz, SGAS18xb-zzzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, GPSU18x-yzzzzz,  
APSU12x-yzzzzz, APSU15x-yzzzzz, APSU18x-yzzzzz  
Where "x" can be U, UI, I, E, EI, SA, SAI, BS, BSI, CH, CHI, KR, KRI, AR, ARI, JPI and B;  
Where "y" can be 0, 1, 2, 3, 4, 5, 6, 7, 8, 1-USB, 11 or 1-1;  
Where "b" can be 03, 05, 05-USB, 07, 09, 12, 15, 18, 24, 28, 48;  
Where "z" can be 0 to 9, A to Z, hyphen or blank. (when z be blank, “-” can be optional)

## Factories:

Mean Well Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248  
Taiwan

Mitra Power Solution Co., Ltd  
First Industrial district, Cunwei Village, HengLi Town, DongGuan, GuangDong  
PRC.

YOUNGYEAR ELECTRONICS CO LTD  
Jin Zhu Industries Area, Qing Xi Town, Dongguan, Guangdong 523646  
China

Dongguan Shengfone Electronics Technology Co., Ltd.  
Shengfeng Electronic Factory, Dongfeng RD., Qingxi Town, Dongguan city, Guangdong Province,  
China

## Ratings:

## Input:

100-240V~, 50/60Hz, 0.4A for Models SGA12xb-zzzzzz, GS15x-yzzzzz, SGAS12xb-zzzzzz, SGAS15xb-zzzzzz,  
GPSU12x-yzzzzz, GPSU15x-yzzzzz, APSU12x-yzzzzz, APSU15x-yzzzzz;

100-240V~, 50/60Hz, 0.5A for Models SGA18xb-zzzzzz, SGAS18xb-zzzzzz, GPSU18x-yzzzzz, APSU18x-yzzzzz  
Output: See test report for details.

**Additional information (if necessary)**

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-07-10

Signature:

Jan-Erik Storgaard